1) On your Outlook, go to:

If using Outlook 2007: Tools > Account Settings If using Outlook 2010+: File > Account Settings > Account Settings



2) On the pop-up that appears, double click your email account's name

| Account Settings | × |
|---------------------------------------------------------------------------------------------------------|---|
| E-mail Accounts You can add or remove an account. You can select an account and change its settings. | |
| E-mail Data Files RSS Feeds SharePoint Lists Internet Calendars Published Calendars Address Books | |
| 🧝 New 🔆 Repair 🚰 Change 📀 Set as Default 🗙 Remove 🔹 🛡 | |
| Name Type | |
| IMAP/SMTP (send from this account by default) | |
| | |
| | |
| | |
| | |
| | |
| Selected e-mail account delivers new e-mail messages to the following location: | |
| \Inbox | |
| in data file | |
| | |
| | |
| Close | |

3) On the next popup, your account details will be shown. Kindly ensure: That the incoming and outgoing mail servers are set to mail.[domain URL]

If you edited your password via cPanel, you can change it under Password.

| For | TLS, | click | More | Settings |
|-----|------|-------|------|----------|
|-----|------|-------|------|----------|

| User Information | | Test Account Settings | |
|------------------------------|---------------------------|-------------------------------------------------------------|--|
| Your Name: | John Smith | We recommend that you test your account to ensure the | |
| Email Address: | username@example.com | the entries are correct. | |
| Server Information | | Test Assount Settings | |
| Account Type: | POP3 | Test Account Settings | |
| Incoming mail server: | mail.domain.com | Automatically test account settings when Next is clicked | |
| Outgoing mail server (SMTP): | mail.domain.com | Deliver new messages to: | |
| Logon Information | | New Outlook Data File | |
| User Name: | username@example.com | Existing Outlook Data File | |
| Password: | ****** | Browse | |
| 🔽 Re | emember password | | |
| Require logon using Secur | e Password Authentication | | |
| (SPA) | | | |

4) Click on Advanced tab. Under Outgoing Server > "Use the following types of encrypted connection" click on the drop down and select TLS

| Internet E-mail Settings | \times |
|-----------------------------------------------------|----------|
| General Folders Outgoing Server Connection Advanced | |
| Server Port Numbers | - |
| Incoming server (IMAP): 993 Use Defaults | |
| Use the following type of encrypted connection: SSL | \sim |
| Outgoing server (SMTP): 587 | |
| Use the following type of engrypted connection: TLS | \sim |
| Server Timeouts | |
| Short Long 1 minute | |
| Folders | |
| Root <u>f</u> older path: | |
| | |
| | |
| | |
| | |
| | |
| OK Cance | el |

5) Please also ensure under Outgoing Server tab, the checkbox for "My outgoing server (SMTP) requires authentication" is selected.

| Internet E-mail Settings | × | | | | | |
|-----------------------------------------------------|---|--|--|--|--|--|
| General Folders Outgoing Server Connection Advanced | | | | | | |
| My outgoing server (SMTP) requires authentication | | | | | | |
| Use same settings as my incoming mail server | | | | | | |
| ◯ Log on using | | | | | | |
| User <u>N</u> ame: | | | | | | |
| Password: | | | | | | |
| Remember password | | | | | | |
| Reguire Secure Password Authentication (SPA) | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| OK Cancel | | | | | | |

6) Select OK, then Next, and Outlook will run an email test. If you encounter any errors, kindly let us know so we can further assist.